

# AIR FORCE

55 AD-A221

**COMPARISON OF THE ARMED SERVICES VOCATIONAL APTITUDE BATTERY TO** THE GENERAL APTITUDE TEST BATTERY

> Pamla Palmer Carl S. Haywood Benjamin A. Fairbank

Performance Metrics, Incorporated 5825 Callaghan Road, Suite 225 San Antonio, Texas 78228

James A. Earles

MANPOWER AND PERSONNEL DIVISION **Brooks Air Force Base, Texas 78235-5601** 

May 1990

Final Technical Paper for Period January 1987 - January 1990

Approved for public release; distribution is unlimited.

MAY 10 1990

LABORATORY

AIR FORCE SYSTEMS COMMAND **BROOKS AIR FORCE BASE, TEXAS 78235-5601** 

**90 0**5 10 000

#### NOTICE

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation; or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

The Public Affairs Office has reviewed this paper, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This paper has been reviewed and is approved for publication.

WILLIAM E. ALLEY, Technical Director Manpower and Personnel Division

DANIEL L. LEIGHTON, Colonel, USAF Chief, Manpower and Personnel Division

#### REPORT DOCUMENTATION PAGE

Form Approved OME No. 0704-0188

Public reporting Burgen for this collection of information is estimated to everage 1 hour per response, including the time for reviewing instructions, searching execution (see

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	May 1990	January 1987 - January 1990
4. TITLE AND SUBTITLE		5. FUNDING NUMBERS
Comparison of the Armed Service	s Vocational Aptitude	C - F41689-86-D-002
Battery to the General Aptitude	Test Battery	PR - 7719
		TA - 18
6. AUTHOR(S)		. WU - 46
Pamla Palmer Benjamin A.	Fairbank	<b>!</b>
Carl S. Haywood James A. Ear	les	
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION
Performance Metrics, Incorporat		REPORT NUMBER
5825 Callaghan Road, Suite 225		j
San Antonio, Texas 78228		ļ
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES)	
Manpower and Personnel Division	5	AGENCY REPORT NUMBER
Air Force Human Resources Labor	·	AFHRL-TP-90-8
Brooks Air Force Base, Texas 7	8235-5601	
11. SUPPLEMENTARY NOTES		
12a. DISTRIBUTION / AVAILABILITY STAT	EMENT	12b. DISTRIBUTION CODE
Approved for public release; di	stribution is unlimited.	
13. ABSTRACT (Maximum 200 words)		
•	Aug Anna boaksudan Ab-	. Aumad Camudage Vacation-1 Antituda Datter. /ACVA
and the General Aptitude Batte	ery (GATB), is presente	e Armed Services Vocational Aptitude Battery (ASVA d. The comparison is based on a sample that were carried out and are reported here.
*	•	rformance on the subtests and the composites of t

second analysis investigated the extent to which the ASVAB can predict GATB subtests and composites, and vice versa. The third analysis was a canonical correlation of the subtests of the two batteries. The fourth analysis consisted of principal components factor analyses of the two batteries, both separately and combined.

Results showed that the batteries do not overlap enough to be considered equivalent or interchangeable, but that they do share a large amount of variance. Such shared variance is to be expected in batteries which have been developed for occupational selection or guidance for similar populations.

14. SUBJECT TERMS			15. NUMBER OF PAGES
Armed Services Vocational	34		
General Aptitude Test Bati	tery (GATB)		16. PRICE CODE
tests		·	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	UL

# COMPARISON OF THE ARMED SERVICES VOCATIONAL APTITUDE BATTERY TO THE GENERAL APTITUDE TEST BATTERY

Pamla Palmer Carl S. Haywood Benjamin A. Fairbank

Performance Metrics, Incorporated 5825 Callaghan Road, Suite 225 San Antonio, Texas 78228

James A. Earles

MANPOWER AND PERSONNEL DIVISION Brooks Air Force Base, Texas 78235-5601

Reviewed by

Linda T. Curran
Acting Chief, Enlisted Selection and Classification Function

Submitted for publication by

Lonnie D. Valentine, Jr. Chief, Force Acquisition Branch

This publication is primarily a working paper. It is published solely to document work performed.

#### **SUMMARY**

The Armed Services Vocational Aptitude Battery (ASVAB) and the General Aptitude Test Battery (GATB) are both U.S. Government tests that provide career aptitude assessment for use in an occupational exploration setting. A comparison of the cognitive aptitude portions of the two tests showed that although there is a great deal of common variance between them, the overlap is not great enough to consider the tests equivalent. The ASVAB has a technical knowledge component not found in GATB and the GATB has a perceptual component not found in ASVAB.



Acces	sion Fo	r	
NTIS	GRA&I		V
DTIC	TAB	ĺ	i i
Unann	ounced		
Just1	ficatio	n	
By		~	
•	ibution	/	
Avai	labilit	y Cod	es
	Avail a	and/or	
Dist	Spec		
1	1		i
1/1			
N			ł
•	1 1		1

#### PREFACE

This study was completed under Air Force Contract No. F41689-86-D-002, Universal Energy Systems Task No. 744-028. This paper was prepared by Operational Technologies Corporation, San Antonio, Texas, for the Air Force Human Resources Laboratory, Manpower and Personnel Division, Brooks AFB, Texas.

The authors wish to express their appreciation to Mr. David Hiester of Operational Technologies, Dr. Jim Augustin of Universal Energy Systems, and Mr. Roy Chollman and Dr. Malcolm Ree of the Manpower and Personnel Division, Air Force Human Resources Laboratory. A project such as this can only be accomplished through a team effort.

# TABLE OF CONTENTS

	1	PAGE
I.	INTRODUCTION	. 1
II.	BACKGROUND	. 1
	ASVAB Student Testing Program	. 1
III.	METHOD	. 2
	Subjects Data Collection Data Analyses Descriptive Statistics Regression Analyses Canonical Correlation Analysis Principal Components Factor Analyses	. 22223
IV.	RESULTS AND DISCUSSION	. 4
	Descriptive Statistics	. 6
V.	CONCLUSIONS	. 7
	REFERENCES	. 8

# LIST OF TABLES

TABL	JE .	PAGE
1 2 3 4 5	ASVAB Subtest Descriptions	10
Ă	GATB Composite Descriptions	12
5	Abbreviations Used for ASVAB and GATB	14
•	Subtests and Composites	13
6	Frequencies of Nominal Data	14
6 7 8 9	ASVAB Subtest and Composite Summary Statistics	15
8	GATB Subtest and Composite Summary Statistics	16
9	Corrected Correlation Matrix of ASVAB and GATB	
4.0	Subtests and Composites	17
10	Predicting ASVAB Subtest Scores from GATB	10
11	Subtest Scores	19
11	Subtest Scores	19
12	Predicting ASVAB Composite Scores from	19
14	GATB Subtest Scores	20
13	Predicting GATB Composite Scores from	40
	ASVAB Subtest Scores	20
14	Predicting ASVAB Composite Scores from	
	GATB Composite Scores	21
15	Predicting GATB Composite Scores from	
1.0	ASVAB Composite Scores	21
16 17	Canonical Correlation of ASVAB and GATB Variables	
18	Principal Components Factor Analysis of ASVAB Subtests	23
19	Principal Components Factor Analysis of GATB Subtests Principal Components Factor Analysis of	24
17	Combined GATB and ASVAB Subtests	25
	Companies Ciri D and 110 (11D Capter)	4.5

# COMPARISON OF THE ARMED SERVICES VOCATIONAL APTITUDE BATTERY TO THE GENERAL APTITUDE TEST BATTERY

#### I. INTRODUCTION

The Armed Services Vocational Aptitude Battery (ASVAB) is the test battery used for selection and classification of enlisted personnel for all branches of the armed services. It is also provided free of charge to the nation's high schools. This enhances service recruiting, expands employment opportunities for students, and provides normed aptitude information on students to their counselors. To this end, it is desirable to demonstrate to school counselors that ASVAB is similar to common commercial aptitude tests and to the test provided by the United States Department of Labor for occupational counseling, namely the General Aptitude Test Battery (GATB). This has been accomplished for the California Achievement Tests, the Differential Aptitude Test, the Flanagan Industrial Tests, and the Flanagan Aptitude Classification Tests (U.S. Military Entrance Processing Command, 1985). This paper is concerned with the GATB.

#### II. BACKGROUND

# ASVAB Student Testing Program

ASVAB versions are administered in the nation's high schools for vocational counseling and for future recruiting purposes. The first high school ASVAB forms were offered free of charge by the Department of Defense (DoD) in 1968. The ASVAB has since become a part of many high school testing programs, with over 1 million students in approximately 14,000 schools being tested annually (U.S. Military Entrance Processing Command, 1987).

The ASVAB is comprised of 10 multiple-choice subtests, 8 power and 2 speeded (Table 1).

High school ASVAB composite scores are reported for educational and career counseling purposes. The composites are divided into two groups, the Academic composites and the Occupational composites. These composite scores are the sum of subtest standard scores converted to percentiles and have demonstrated some degree of predictive validity. They are described in Table 2.

# The GATB Testing Program

The GATB was developed and is maintained by the United States Employment Service (USES) of the Department of Labor and has been available for administration through state employment offices since 1947. In addition, many schools and business organizations have obtained permission from the state employment offices to use the GATB for research and career counseling purposes. The GATB is one of the most thoroughly investigated multiple aptitude batteries used in vocational guidance (U.S. Employment Service, 1982).

The GATB is composed of eight paper-and-pencil subtests and four apparatus subtests (Buros, 1959). For the purposes of this study, seven paper-and-pencil subtest raw scores were compared to ASVAB subtests. These subtests and their descriptions are provided in Table 3.

The five additional GATB subtests of Mark Making, Place Apparatus, Turn Apparatus, Assemble Apparatus and Disassemble Apparatus are not included in this investigation because there are no ASVAB subtest counterparts. The GATB subtest scores of interest are weighted, combined and converted into seven composite scores. The composites used in this investigation are described in Table 4 (U.S. Employment Service, 1982).

Three other GATB aptitude composites measure motor coordination, finger dexterity and manual dexterity. These composites were not included in this study because the ASVAB does not measure comparable abilities. As a convenience, Table 5 presents the ASVAB and GATB subtest and composite abbreviations used in the remaining tables.

#### III. METHOD

#### Subjects

The total sample of 406 cases included 98 civilian and 308 recruit examinees. The civilian examinees were high school students whose schools were matched by the National Computer System (NCS), Inc. a commercial scorer of GATB tests, to a government provided list of schools administering the ASVAB. GATB scores were obtained from participating high schools and Air Force recruits. ASVAB scores were provided by the Defense Manpower Data Center (DMDC). The military sample was recruits at Lackland Air Force Base, Texas. Their ASVAB scores were the scores of record used for military qualification.

#### Data Collection

The high school subsample of ASVAB and GATB scores came from tests administered during the 1986 to 1987 school year. Recruit testing of the GATB occurred during the period of July-December 1987. Their ASVAB scores came from the administration of the ASVAB prior to service accession.

# Data Analyses

Descriptive Statistics. After data editing, frequency counts were made for nominal variables, while a full range of other descriptive statistics (mean, mode, maximum, minimum, standard deviation, skewness, kurtosis, and others) were calculated for variables on the test scales.

Regression Analyses. The first set of multivariate analyses assessed the extent to which ASVAB subtests and composites could predict subtest and composite scores on the GATB, and, conversely, the extent to which GATB subtests and composites could account for ASVAB subtest and composite scores.

The correlation matrix used in these regression analyses was corrected for restriction in range (Lawley, 1943) to the 1980 Youth Population (Maier & Sims, 1986) which is the ASVAB normative reference group.

Forward linear stepwise regressions were computed with no specific order of variable entry. There were six sets of regressions. First, GATB subtests predicted ASVAB subtests, second, ASVAB subtests predicted GATB subtests, third GATB subtests predicted ASVAB composites, fourth, ASVAB subtests predicted GATB composites, and fifth and sixth, composites predicted composites.

Canonical Correlation Analysis. A multiple regression analysis typically uses several variables to construct the best prediction system (i.e. minimum squared errors of prediction) for a single dependent variable. Canonical correlation extends that idea to allow a number of variables from one set to predict a number of variables from another set. The procedure starts by finding the weighted linear combination of variables from the first set, in this case the ASVAB subtests, and the weighted linear combination from the second set, the GATB subtests, which are most highly correlated with each other. That set of two linear combinations is called the first canonical variate. One such variate rarely, if ever, accounts for all of the variance in two sets of variables. The procedure then extracts another pair of weighted linear combinations of variables, one from each set. The second set maximizes the variance not previously accounted for, this time with the added restriction that both sides of the new canonical variate are orthogonal to those of the first pair. That process is repeated until all meaningful variance is extracted from the sets of variables. The canonical variates are more useful for estimating the shared variance of sets of variables than they are for providing readily interpretable or named psychological concepts.

Principal Components Factor Analyses. A principal components factor analysis starts by finding the one linear combination of a set of variables which explains the largest possible amount of variance in the set of variables. That linear combination is known as the first principal component. The analysis then finds the linear combination of the variables which explains the next largest amount of variance, given the constraint that the linear combination be uncorrelated or orthogonal to the first. That constraint ensures that each successive factor accounts only for variance previously unaccounted for. The finding (or extracting) of orthogonal linear combinations continues until all of the variance in a set of variables is accounted for, or until specified stop criteria are met. The number of possible principal components is equal to the number of variables, but the number of significant principal components is frequently much smaller.

When a small number of principal components has a large portion of the variance of the full set of variables, that small number of components may be said to explain or account for the variance in the full set. However, the set of principal components is frequently not useful for explaining the full set of variables in any intuitive psychological sense. For the purposes of maximizing explanatory clarity, the principal components can be rotated so that they meet given statistical criteria. The two criteria for rotation used in the present analyses are embodied in the varimax rotation and the oblimin rotation (Norusis, 1986).

Varimax or orthogonal rotation finds a configuration with a minimum number of variables loading highly on a factor. The variables are thus associated with factors, rendering the factors more easily interpretable. Oblimin rotation involves oblique rotation of factors (i.e. factors which need not be orthogonal) and has historically been used in previous research (Ree, Mullins, Mathews, & Massey, 1982).

Three principal components factor analyses were carried out, each with varimax and oblimin rotation. The three analyses were:

1. Analysis of GATB subtests only;

Analysis of ASVAB subtests only;
 Analysis of the combined set of ASVAB and GATB subtests.

The three analyses use the methodology of accepting only factors whose eigenvalues are one or greater, a frequently observed convention.

### IV. RESULTS AND DISCUSSION

# Descriptive Statistics

Nineteen of the high school cases were found to lack data for the EI subtest of the ASVAB and so were not included in the multivariate analyses. summary statistics are calculated for the test score distributions on a sample of 387 cases.

Table 6 shows that the sample was largely male (69%) and white (82%). Table 6 also presents the distribution of years of education in the sample. This distribution indicates, as expected from the large proportion of Air Force recruits, that the majority of the subjects has received a high school diploma (75.5%).

Tables 7 and 8 present the ASVAB and GATB summary statistics for the sample.

# Regression Analyses

Table 9 presents the intercorrelation matrix of ASVAB and GATB subtests and composites corrected for restriction of range.

For each of the six sets of regression analyses, a table is presented which shows the order in which the predictors entered into the stepwise equations for the prediction of each of the criterion variables. The tables also give both the univariate correlation coefficient (r) between the criterion variable and the first predictor variable to enter, and the multiple correlation (R) for the final prediction equation.

Table 10 shows that the GATB subtests can moderately predict or explain the ASVAB subtests. Multiple correlations range from .57 for AS to .84 for WK. For four of the ASVAB subtests (GS, WK, PC, and CS) the difference between the single best univariate r and the multiple R is 0.03 or less. The GATB subtest TLM appears in only two of the equations; all of the other subtests appear in at least five of the equations. The GATB VOC subtest enters first in six of the prediction equations, and first or second in all of the prediction equations for the power tests in the ASVAB. The GATB NCM subtest enters first in both of the ASVAB speeded subtest regression equations.

The ASVAB subtests AR and MK both resulted in equations with six significant predictor variables, and both increase their correlations from .68 to .79 in going from the univariate to the multivariate prediction equations. This result suggests that the common variance of both of these subtests is spread widely across the GATB subtest scores.

Table 11, which shows the results of predicting GATB subtests from ASVAB subtests, mirrors some of the results of Table 10. Since the predictions involved

are just the inverse of each other, that is to be expected. The multiple correlations run from a low of .54 (FRM) to a high of .84 (VOC). The three technical subtests play little role. The EI and AS subtests appear in no prediction equations, GS appears in one and then only as the sixth and last to enter. Four of the correlations change by 0.03 or less from the best univariate prediction to the final multivariate prediction, indicating that there is a strong correspondence between individual subtests in the two batteries.

Table 11 also shows that the speeded CS and NO enter into the prediction of five GATB subtests, four times as a first entrant. This result would not ordinarily be expected in the prediction of power subtests and is likely due to a speeded nature of the GATB subtests. Further, MK enters as the second variable in four of the equations, and as the third in another. Only the speeded subtests enter into as many prediction equations. The prediction equations for NCM and for CMP both show substantial increases in correlation (0.09 points) in going from the best univariate to the best multivariate equation. These increases suggest that the variance in common with those GATB subtests is distributed across a number of ASVAB subtests.

Table 12, which shows the results of predicting ASVAB composites from GATB subtests, is characterized by reasonably high multiple correlations. Only the Mechanical Composite composed of the three most poorly predicted subtests has a correlation below .80. The GATB TLM subtest contributes little. All of the other GATB subtests are well represented in the equations, with two of them appearing in all eight equations and three of them appearing in six or seven.

A feature of Table 12 is that the GATB VOC subtest enters first in the prediction of seven of the eight ASVAB composites. It can be seen from the univariate column that the correlation of GATB Vocabulary with ASVAB composites ranges from .64 to .83. Whether the ASVAB composites are so verbally loaded or whether both the ASVAB composites and the GATB Vocabulary depend on an underlying ability cannot be determined.

Table 13 presents the results of predicting GATB composites from ASVAB subtests. The results again resemble earlier tables. The correlations range from a low of .50 to a high of .83, and with two GATB composites (Verbal and Spatial) predicted almost as well by a single predictor as by the best multivariate equation. The ASVAB subtests PC and EI do not enter the prediction equations for any of the GATB composites, and the subtests GS and AS enter only one equation each, and in each case enter last. Six of the 10 ASVAB subtests would do almost as good a job of predicting the GATB composites as does the whole set. The S, or Spatial, Composite of the GATB is correlated least well, with a multiple R of .50, indicating that only 25% of the variance in that composite is accounted for by the ASVAB. The P, or Form Perception, Composite is also moderately correlated, with a multiple R of .57, indicating that about 32% of the variance is predicted by the ASVAB subtests.

The 10 ASVAB subtests do not predict the GATB composites as well as the GATB subtests predict the ASVAB composites. The best-predicted GATB composite is G (Intelligence), with a multiple R of .83. This is consistent with the observation that the ASVAB subtests depend heavily on general cognitive ability.

Table 14 shows the results of predicting ASVAB composites from GATB composites. With the exception of the prediction of the Mechanical Composite (.75), all of the multiple correlations are .80 or higher. In four of the cases there is only a small difference (0.03 correlation points or less) between the best single

predictor and the multivariate predictor. The GATB G Composite, or Intelligence, enters first in six of the eight equations, and enters second in the other two. Moreover, the two equations in which it enters second are the equations predicting the VE and the Verbal composites. The GATB V Composite (derived from the Vocabulary subtest) enters first in both of those prediction equations.

The GATB S Composite (Spatial) appears only as the sixth and last variable to enter the prediction of VE; it appears in no other equation. Because the ASVAB has no subtest to measure spatial perception, the lack of the predictive power of GATB S Composite with respect to ASVAB subtests is not surprising, unless one would expect Spatial ability to contribute, perhaps indirectly, to the Mechanical Composite. Finally, it is notable that GATB P Composite, Form Perception, appears in all of the prediction equations except that for the Business Composite, although it almost always appears in third place.

Table 15 shows the results of predicting GATB composites from ASVAB composites. Multiple correlations range from .49 (associated with S) to .83 (associated with G). GATB S (Spatial) and GATB P (Form Perception) are not well predicted, with multivariate Rs of .49 and .54 respectively. The GATB V (Verbal) and GATB G (Intelligence) are well predicted, with multivariate Rs of .80 and .83, respectively. The Business and Clerical ASVAB Composite is the most used of the composites, appearing in five of the six equations, and always entering either first or second. The ASVAB Verbal, Academic, and Electronic and Electrical Composites all appear in only one equation each.

#### Canonical Correlation Analyses

The results of the canonical correlation analysis appear in Table 16. Four significant canonical variates were extracted. The first variate had a correlation of .90 and an eigenvalue of .81. The eigenvalue is the squared canonical correlation and indicates the proportion of variance accounted for by the canonical variate. Thus the ASVAB and the GATB share 81% of their joint variance through the first canonical variate. It is not possible to give a clear substantive interpretation (i.e. one which assigns a name or identification based on the weightings of the subtests) of the canonical variates. However, it is at least plausible to suggest that the shared variance is associated with general cognitive ability.

The second, third, and fourth canonical variates have eigenvalues of .42, .26, and .16 and correlations of .65, .51, and .40, respectively. Further canonical variates account for insignificant amounts of variance. They are difficult to interpret because of the nontrivial negative coefficients present in each of the four canonical variates.

# Principal Components Factor Analyses

The factor analyses were performed in order to compare the structure of ASVAB and GATB. An eigenvalue rule of one or greater was applied to determine acceptance of a factor.

Table 17 gives the results of applying principal components factor analysis to the ASVAB subtests. Two factors emerged accounting for 64% and 13% of the variance for a total of 77%. After varimax rotation, the first factor is associated most clearly with AS, EI, MC, and GS; the second with NO, CS, PC, MK, WK, and AR. The oblimin rotation of the factors gives a similar picture.

Table 18 gives the analysis of the GATB subtests. The first factor accounts for 56% of the variance and the second accounts for 15%. After varimax rotation, CMP, ARS, NCM, and VOC loaded primarily on the first factor, and 3DS, FRM, and TLM variables loaded on the second factor. The oblimin rotation gives similar results.

Finally, Table 19 shows the results of a principal components factor analysis of the combined set of ASVAB and GATB subtests. A common factor from ASVAB (Table 17) and from GATB (Table 18) merges to give a three factor solution. The three factors account for 55%, 11%, and 7% of the variance. The high value for the first factor suggests an overriding influence, perhaps analogous to general ability. Varimax rotation yields three factors. The first factor consists of high factor loadings of ASVAB NO, CS, MK, PC, AR, and WK, and GATB variables of CMP, NCM, ARS, and VOC. The second factor is associated with only AS, EI, MC, and GS, and is the familiar ASVAB technical factor. The third factor possesses high loadings with regard to the GATB 3DS, TLM, and FRM variables representing a spatial perception domain. Oblimin rotation gave virtually the same factors and loadings. This analysis suggests that the technical subtests, MC, EI, AS, and GS have variance which is specific to the ASVAB, while the GATB subtests 3DS, TLM, and FRM have variance which is specific to the GATB.

#### V. CONCLUSIONS

The GATB and ASVAB clearly cannot be seen as identical or interchangeable test batteries. The GATB tests a spatial domain which the ASVAB lacks, and the ASVAB tests a technical domain which the GATB lacks. Both batteries appear, however, to measure some factor which enters into a large number of the subtests. This is most clearly seen in the principal components analysis of the combined set of subtests. The first factor is apparently a general ability factor in which a large set of diverse subtests load highly. The second factor is the technical factor consisting of the ASVAB subtests which measure scientific and technical information and ability. The third factor corresponds to the spatial tests of the GATB. In addition, the large first canonical variate of .90, which accounted for 81% of the variance, also suggests a large common factor.

#### **REFERENCES**

- Buros, O. K. (1959). The fifth mental measurements yearbook. Highland Park, NJ: Gryphon Press.
- Lawley, D. N. (1943). A note on Karl Pearson's selection formulas. *Proceedings* of the Royal Society of Edinburgh. Section A, 62, Part I, 28-30.
- Maier, M. H., & Sims, W. H. (1986). The ASVAB score scales: 1980 and World War II. Alexandria, VA: Center for Naval Analyses.
- Norusis, M. J. (1986). SPSS/PC+ Advanced statistics. Chicago: SPSS, Inc.
- Ree, M. J., Mullins, C., Mathews, J., & Massey, R. (1982). Armed Services Vocational Aptitude Battery: Item and factor analyses of Forms 8, 9, 10 (AFHRL-TR-81-55, AD-Al13 465). Brooks AFB, TX: Manpower and Personnel Division, Air Force Human Resources Laboratory.
- U. S. Employment Service. (1982). Manual for the USES General Aptitude Test Battery, Section I: Administration and scoring (Forms A and B). Minneapolis: Intran Corporation, Author.
- United States Military Entrance Processing Command. (1985). ASVAB technical supplement to the counselor's manual (Document number DoD 1304.12X1). North Chicago, IL: Author.
- United States Military Entrance Processing Command. (1987). ASVAB Counselor's Manual (Document number DoD 1304.12X). North Chicago, IL: Author.

Table 1. ASVAB Subtest Descriptions

Subtest	Content	# of items	Administration time (minutes)	Туре
General Science (GS)	Measures knowledge of physical, chemical and biological sciences	25	11	power
Arithmetic Reasoning (AR)	Measures ability to solve arithmetic word problems	30	36	power
Word Knowledge (WK)	Measures ability to select meanings of words	35	11	power
Paragraph Comprehension (PC)	Measures ability to obtain information from written passages	15	13	power
Numerical Operations (NO)	Measures ability to perform simple computations in a speeded context	50	3	speed
Coding Speed (CS)	Measures ability to match similar sets of numbers with words in a speeded context	84	7	speed
Auto and Shop Information (AS)	Measures knowledge of automobiles, tools, and shop terminology and practices	25	11	power
Mathematics Knowledge (MK)	Measures knowledge of high school mathematics principles	25	24	power
Mechanical Comprehension (MC)	Measures knowledge of mechanical and physical principals	25	19	power
Electronics Information (EI)	Measures knowledge of electricity and electronics	20	9	power

Table 2. ASVAB High School Composite Descriptions

Composite name	Subtest combination	Purpose
Academic Composites		<del>,</del>
Academic Ability (ACAD)	VE <sup>d</sup> +AR	Measures potential for further formal education.
Verbal (VERB)	WK+PC+GS	Measures the capacity for verbal activities.
Math (MATH)	MK+AR	Measures the capacity for mathematical activities.
Occupational Composites		
Mechanical & Crafts (MECH)	AR+MC+AS+EI	Measures the potential for performance in career areas dealing with mechanics, machines, carpentry, etc.
Business & Clerical (BUSN)	VE <sup>d</sup> +MK+CS	Measures the potential for performance in career areas dealing with typing, data entry, paralegal duties, and clerical activities.
Electronics & Electrical (ELEC)	AR+MK+EI+GS	Measures the potential for performance in career areas dealing with TV and radio repair, electronics, and technical activities.
Health, Social & Technical (HEAL)	VE <sup>d</sup> +AR+MC	Measures the potential for performance in career areas dealing with medical services, police services, and flight operation services.

 $<sup>{}^{\</sup>mathrm{o}}\mathrm{VE}$  is WK + PC raw scores summed together and converted to a standard score.

Table 3. GATB Subtest Descriptions

Subtest	Content	# of items	Administration time (minutes)
Name Comparison (NCM)	Compare 2 names	150	6
Computation (CMP)	Addition, subtraction, multiplication, and division	50	6
3-Dimensional Space (3DS)	How would a two dimensional figure look in three dimensions	40	6
Vocabulary (VOC)	Choose two synonyms and two antonyms	60	6
Tool Matching (TLM)	Match identical drawings	49	5
Arithmetic Reasoning (ARS)	Solve word problems	25	7
Form Matching (FRM)	Match identical figure	60	6

Table 4. GATB Composite Descriptions

Composite name	Subtest combination	Purpose
General Learning Ability (G)	3DS+V0C+ARS	Measures the ability to understand instructions and underlying principles; to reason and make decisions.
Verbal (V)	VOC	Measures the ability to understand word meanings and to use them effectively; to comprehend language and relationships between words.
Numerical (N)	CMP+ARS	Measures the ability to perform arithmetic operations quickly and accurately.
Spatial Aptitude (S)	3DS	Measures the ability to comprehend two and three dimensional objects; to recognize relationships resulting from the movement of objects.
Form Perception (P)	TLM+FRM	Measures the ability to perceive detail in pictorial material; to make visual comparisons.
Clerical Perception (Q)	NCM	Measures the ability to perceive detail in verbal or tabular material; speed of perception.

Table 5. Abbreviations Used for ASVAB and GATB Subtests and Composites

ASVAB Subtests	GATB Subtests
GS General Science AR Arithmetic Reasoning WK Word Knowledge PC Paragraph Comprehension NO Numerical Operations CS Coding Speed AS Auto Shop Information MK Mathematics Knowledge MC Mechanical Comprehension Eī Electronics Information	NCM Name Comparison CMP Computation 3DS 3-Dimensional Space VOC Vocabulary TLM Tool Matching ARS Arithmetic Reasoning FRM Form Matching
ASVAB Composites	GATB Composites
VE WK + PC VERB Verbal MATH Mathematical ACAD Academic Ability MECH Mechanical & Crafts BUSN Business & Clerical ELEC Electronic & Electrical HEAL Health, Social, & Technology	G Intelligence V Verbal N Numerical S Spatial P Form Perception Q Clerical Perception

Table 6. Frequencies of Nominal Data

Group	Frequency	Percent
Sex of Exam	inee	
Female Male	119 268	30.7 69.3
Total	387	100.0
Race of Exam	inee	
White Black Asian Other American Indian	318 42 12 11 4	82.2 10.9 3.1 2.8 1.0
Total	387	100.0
Hispanic Exam	inees	
Non - Hispanic Hispanic	378 9	97.7 2.3
Total	387	100.0
Educational Cert	ification	
Currently in High School High School Diploma Home Study Diploma Test Equivalence Diploma Completed 1 Semester of College 1	79 292 2 1 .3	20.4 75.5 .5 .3
Associate Degree Baccalaureate Degree Masters Degree	.3 .4 .6 .2	1.0 1.6 .5
Total	387	100.0

Table 7. ASVAB Subtest and Composite Summary Statistics

Statistic	GS	AR	WK	PC	NO	cs	AS	MK	MC	EI
n	387	387	387	387	387	387	387	387	387	387
Mean	17.700	21.778	27.982	12.227	42.274	57.589	15.494	15.641	16.062	12.134
Median	18.000	22.000	28.000	13.000	43.000	56.000	16.000	16.000	17.000	12.000
Mode	15.000	22.000	30.000	15.000	49.000	56.000	17.000	17.000	18.000	10.000
Std. Dev.	3.978	5.581	4.856	2.463	6.750	12.057	5.197	4.908	4.727	4.137
Variance	15.822	31.147	23.577	6.067	45.567	45.383	27.012	24.086	22.348	17.117
Range	18.000	24.000	25.000	12.000	32.000	64.000	21.000	20.000	21.000	19.000
Minimum	7.000	6.000	10.000	3.000	18.000	20.000	4.000	5.000	4.000	1.000
Maximum	25.000	30.000	35.000	15.000	50.000	84.000	25.000	25.000	25.000	20.000
Skewness	212	534	724	916	838	.075	073	022	454	224
Kurtosis	633	378	.382	.480	.188	321	972	824	536	453

Statistic	ACAD	VERB	MATH	MECH	BUSN	ELEC	HEAL
n	387	387	387	387	387	387	387
Mean	107.044	158.961	107.036	209.866	162.075	210.178	160.403
Median	108.000	161.000	107.000	212.000	163.000	209.000	162.000
Mode	111.000	153.000	116.000	225.000	156.000	212.000	153.000
Std. Dev.	11.787	17.866	13.335	28.962	15.252	25.354	18.885
Variance	138.923	319.193	177.823	838.785	232.624	642.820	356.651
Range	59.000	86.000	57.000	126.000	88.000	121.000	87.000
Minimum	68.000	101.000	76.000	141.000	112.000	140.000	107.000
Maximum	127.000	187.000	133.000	267.000	200.000	261.000	194.000
Skewness	771	860	152	317	360	203	642
Kurtosis	.557	.626	705	585	.152	325	.106

Table 8. GATB Subtest and Composite Summary Statistics

Statistic	NCM	CMP	3DS	VOC	TLM	ARS	FRM
n	387	387	387	387	387	387	387
Mean	50.855	23.140	19.894	19.793	32.363	11.244	30.256
Median	51.000	23.000	20.000	19.000	32.500	11.000	30.000
Mode	51.000	22.000	19.000	19.000	36.000	11.000	26.000
Std. Dev.	11.864	4.329	6.110	5.795	5.830	2.657	6.352
Variance	140.756	18.739	37.332	33.578	33.988	7.057	40.351
Range	74.000	29.000	32.000	37.000	32.000	15.000	37.000
Minimum	17.000	10.000	4.000	4.000	15.000	4.000	14.000
Maximum	91.000	39.000	36.000	41.000	47.000	19.000	51.000
Skewness	.209	.294	204	.471	083	.325	.239
Kurtosis	.259	.296	227	.708	234	.488	067

Statistic	G	V	N	s	P	Q
n	387	387	387	387	387	387
Mean	102.163	99.302	99.956	109.251	116.346	110.948
Median	102.000	98.000	99.000	110.000	117.000	110.000
Mode	95.000	98.000	99.000	124.000	127.000	109.000
Std. Dev.	12.707	12.513	13.083	19.120	17.521	14.431
Variance	161.479	156.564	171.156	365.567	306.983	208.246
Range	68.000	132.000	78.000	127.000	89.000	89.000
Minimum	72.000	11.000	65.000	33.000	71.000	71.000
Maximum	140.000	143.000	143.000	160.000	160.000	160.000
Skewness	.362	418	.471	401	053	.187
Kurtosis	.268	6.513	.343	.150	371	.295

Table 9. Corrected Correlation Matrix of ASVAB and GATB Subtests and Composites

	GS ——	AR	WK	PC	NO	cs	AS	MK	MC	EI
GS AR	1.000	.722	.801	.689	.524 .627 .617	.452	.637	.695	.695	.760
WK	.801	1.000 .708	.708 1.000	.672 .803	-627 -617	.515	.533	.827 .670	.684	.658
PC	.689	.672	.803	1.000	-608	.560	.529 .423	.637	.593 .521	.684 .573
NO CS	.524	.627	.803 .617 .550	.608	.608 1.000	.560 .701	.306	.617	.408	.421
ÇS	.452	.515	.550	.560	.701 .306 .617	1.000	.225 1.000	.617 .520 .415	.336	.342
AS MK	.637 .695	.533	.529 .670	.423	.306	.225	1.000	.415	.741	.342
MC	.695	.827 .684	503	.637 .521	.617	.520 .336	.415	1.000	.600	.585
ΕÏ	.760	.658	.593 .684 .627	.573	.408	342	.741 .745	.600 .585	1.000	.743 1.000
NCM	.526	.624	.627	.625	. 715	.342	.261	.664	.404	.422
CMP	.367	.571	.449 .382 .818	.432	.621 .277	.536	.168	. 583	.274	.281
3DS VOC	.449 .716	.456	.382	.307	.277	.299	.442	.429 .675 .438 .627	.531	.449
TLM	.367	.656 .373	.368	.733	.608	.551	.437	.675	.542	.587
ARS	.514	.680	.551	.406 .486	.608 .506 .575	.573 .487	.207	.438 627	.342	.313
ARS FRM	.306	.346	.312	.311	.453	.484	.259	.326	.335	287
VE	.797	.718	.982	.894	.453 .637 .635	.568	.511	.686	.588	.287 .673
VERB	. 904	.763	-945	.905	.635	.567	.577	.686 .727 .956	.657	.732 .651
MATH ACAD	.741 .818	. 956	.721	.684	.651	.542	.497	. 956	.673	.651
MECH	.805	.931	.721 .907 .720	.845 .626	.684 .504	.590	.565	.816	-689	.718
BUSN	.759	.808	.857	.817	.766	.406	.864 .451	.695 .862	.907 .598	.901 .625
ELEC	.899	.907	.857 .810	.728	.620	.819 .517	.660	.879	.771	.850
HEAL	.837	.912	.860 .730	.789	.635	.540	.676	.879 .800 .730	.861	.785
G	.693 .675	.768	.730	.632	.626	. 565	.524	.730	.633	.603
V	.675	.618	.775 .503 .335	.687	.561	.529 .539 .255	.406	.642 .627 .379	.516	.546
n S	.433 .401	.642 .413	.503	.466	.632 .224	.539	.249	.627	.345	.341
P	.269	.294	.262	.268 .291	.224	.524	.399	.379	.489 .270	.406 .222
Q	.418	.527	.521	.521	.667	.688	.153	.351	.288	.306
	NCM	СМР	3DS	Voc	TLM	ARS	FRM	VE	VERB	MATH
GS	.526	.367	.449	.716	.367	.514	.306	.797	.904	.741
AR	.624	.571	.456	.656	.373	.680	.346	.718	.763	.956
WK	.627	.449	.382	.818	.368	.551	.312	. 982	.945	.721
PC	.625	.432	.307	.733	.406	.486	.311	.894 .637	. 905	.684
NO CS	.715 .743	.621	.307 .277 .299	.608	.506	.575	.453	.637	.635	.651
ÀS	.261	.536 .168	442	.551 .437	.573 .207	.487	.484 .259	.568 .511	.567 .577	.542
MK	.664	.583	.442	.675	.438	.394 .627	.326	.686	727	.497 .956
MC	.404	.274	.531 .449 .376	.542	.342	.467	. 335	.588	.727 .657	.673
EI	.422	.281	.449	.587 .677	.313	.440	.287	.673	.732	.651
NCM CMP	1.000	.607	.376	.677	.640	.555	.538	.648	.645	.674
3DS	.376	1.000 .223	.223 1.000	.521 .422	.395	.700	.334	.462	.454	.604
voc	.677	.521	.422	1.000	.473 .469	.335 .574	.471	.377 .833	.413	.463
	.640	.395	.473	.469	1.000	.347	.572	.387	.823 .414	.697 .424
TLM		.700	.473	. 574	.347	1.000	.368	.558	.563	.684
TLM ARS	. 555		.471	. 429	.572	.368	1.000	.558 .325	.337	.352
ARS FRM	.555 .538	.334	• 4 • 1				005		070	705
ARS FRM	.538 .648	.462	.377	.833	.387	.558	.325	1.000	.970	.735
ARS FRM VE VERB	.538 .648 .645	.462 .454	.377	.833 .823	.387 .414	.563	.337	1.000	1.000	.779
ARS FRM VE VERB MATH	.538 .648 .645	.462 .454 .604	.377	.833 .823 .697	.387 .414 .424	.563 .684	.337 .352	.970 .735	1.000 .779	.779 1.000
ARS FRM VE VERB MATH ACAD MECH	.538 .648 .645	.462 .454 .604	.377 .413 .463	.429 .833 .823 .697 .798	.387 .414 .424 .414	.563 .684 .666	.337 .352 .362	.970 .735 .921	1.000 .779 .933	.779 1.000
ARS FRM VE VERB ATH ACAD MECH SUSN	.538 .648 .645	.462 .454 .604 .558 .370	.377 .413 .463 .447 .537	.801	.387 .414 .424 .414 .354	.563 .684 .666	.337 .352 .362 .351	.970 .735 .921 .713	1.000 .779 .933	.779 1.000
ARS FRM VE VERB MATH ACAD MECH BUSN ELEC	.538 .648 .645 .674 .689 .489 .805	.462 .454 .604 .558 .370 .618	.377 .413 .463 .447 .537	.637 .801 .745	.387 .414 .424 .414 .354 .549	.563 .684 .666 .567 .651	.337 .352 .362 .351	.970 .735 .921 .713	1.000 .779 .933 .781 .883	.779 1.000 .915 .794 .874
ARS FRM VE VERB MATH ACAD MECH BUSN ELEC MEAL	.538 .648 .645 .674 .689 .489 .805 .632	.462 .454 .604 .558 .370 .618 .510	.377 .413 .463 .447 .537 .430 .505	.637 .801 .745 .764	.387 .414 .424 .414 .354 .549 .421	.563 .684 .666 .567 .651 .640	.337 .352 .362 .351	.970 .735 .921 .713 .877 .813	1.000 .779 .933 .781 .883 .885	.779 1.000 .915 .794 .874 .934
ARS FRM VE VERB IATH ICAD IECH BUSN ILEC IEAL G	.538 .648 .645 .674 .689 .489 .805 .636	.462 .454 .604 .558 .370 .618 .510 .495	.377 .413 .463 .447 .537 .430 .505 .514	.637 .801 .745 .764 .811	.387 .414 .424 .414 .354 .549 .421 .419	.563 .684 .666 .567 .651 .640 .644	.337 .352 .362 .351 .413 .358 .381	.970 .735 .921 .713 .877 .813 .868	1.000 .779 .933 .781 .883 .885 .903	.779 1.000 .915 .794 .874 .934 .895
ARS FRM VE VERB IATH ICAD IECH BUSN ILEC IEAL V	.538 .648 .645 .674 .689 .805 .632 .636 .676 .628	.462 .454 .608 .370 .618 .510 .495 .6492 .5945	.377 .413 .463 .447 .537 .430 .505 .514 .661	.637 .801 .745 .764 .811 .938	.387 .414 .424 .414 .3549 .421 .419 .422	.563 .684 .666 .567 .651 .640 .644 .873	.337 .352 .362 .351 .413 .358 .381 .395	.970 .735 .921 .713 .877 .813 .868 .737	1.000 .779 .933 .781 .883 .885 .903 .746	.779 1.000 .915 .794 .874 .934 .895 .784
ARS FRM VE VERB MATH CAD MECH BUSN ELEC MEAL V N	.538 .648 .645 .674 .689 .805 .632 .636 .676 .628 .333	.462 .454 .604 .5570 .618 .510 .495 .642 .5045 .172	.377 .413 .463 .447 .537 .505 .514 .661 .369 .274	.637 .801 .745 .764 .811 .938 .564	.387 .414 .424 .414 .354 .549 .421 .419 .509 .422 .386	.563 .684 .666 .567 .651 .640 .644 .873	.337 .352 .362 .351 .413 .358 .381 .395 .360	.970 .735 .921 .713 .877 .813 .868 .737 .788	1.000 .779 .933 .781 .883 .885 .903 .746 .776	.779 1.000 .915 .794 .874 .934 .895 .784 .659
ARS FRM VE VERB IATH ICAD IECH ILEC IEAL V	.538 .648 .645 .674 .689 .805 .632 .636 .676 .628	.462 .454 .604 .558 .370 .618 .510 .495 .642	.377 .413 .463 .447 .537 .430 .505 .514 .661	.637 .801 .745 .764 .811 .938	.387 .414 .424 .414 .3549 .421 .419 .422	.563 .684 .666 .567 .651 .640 .644	.337 .352 .362 .351 .413 .358 .381 .395	.970 .735 .921 .713 .877 .813 .868 .737	1.000 .779 .933 .781 .883 .885 .903 .746	.779 1.000 .915 .794 .874 .934 .895 .784

<u>Table 9</u> (Concluded)

	ACAD	MECH	BUSN	ELEC	HEAL	G	V	N	S	P	Q
GS	.818	.805	.759	.899	.837	.693	.675	.433	.401	.269	.418
AR	.931	.823	.808	.907	.912	.768	.618	.642	.413	.294	.527
WK	.907	.720	.857	.810	.860	.730	.775	.503	.335	.262	.521
PC	.845	.626	.817	799	.789	.632	.687	.466	.268 .224 .255	.291	.521 .521
NO	.684	.504	.766	.620	.635	.626	.561	.632	.224	.471	.667
CS	.590	.406	.819	.517	.540	.565	.529	.539	.255	.524	.667 .688
λS	.565	.864	.451	.660	.676	.524	.406	.249	.399	.149	.153
MK	.816	.695	.862	.879	.800	.730	.642	.627	.399	.351	.593
MC	.689	.907	.598	.771	.861	.633	.516	.345	.489	.270	.288
EI	.718	.901	.625 .805	.620 .517 .660 .879 .771 .850 .632	.785	.6 <u>0</u> 3	.546	.341	.406	.222	.306
NCM	.689	.489 .370 .537	.805	.632	.636	.676	.628	.611	.333	.592	. 973
CMP	.558	.370	.618 .430	.510	.495	.642	.501	. 945	.172	.371	.594
3DS	.447	.537	.430	. 505	.514	.661	.369	.274	.961	.487	.342
VOC	.798	.637	.801	.745	.764	.811	. 938	.564	.367	.418	.615
TLM	.414	.354	.549	.421	.419	.509	.422	.386	.424	.921	.613
ARS	.666	.567	.651	.640	.644	.873	.567	.882	.275	.337	.524
FRM	.362	.351	.443	.358	.381	.516	.395	.360	.426	.788	.535
VEDR	.921	.713	.877	.813	.868	.737	.788	.515	.330	.281	.546
VERB	.933	.781	.883	.885	.903	.746	.776	.509	.364	.299	.530
MATH	.915 1.000	.794	.874	.934	.895	.784	.659	.664	.414	.338	.586 .578 .365 .713
ACAD MECH	.831	.831 1.000	.910 .711	.929	.962	.808	.753	.623	.398	.312	.578
BUSN	.910	.711	1.000	.929 .912 .864	.926	.724	.597	.452	.375	.267	.365
ELEC	.929	.912	.864	1.000	.864 .943	.791	.761	.656 .578	.453	.452 .321 .320	./13
HEAL	.962	.712	.864	1.000	1.000	.791	.702		.464	.321	.522
G	.808	.926 .724	.791	.943	.806	.806	.723 .777	.568 .782	.599	.320	.514
Ÿ	.753	.597	.761	.791 .702	.723	1.000 .777	1.000	.551	.321	.492 .376	.625 .570
Ň	.623	.452	.656	.578	.568	.782	.551	1.000	.218	.374	.601
N S P Q	.398	.488	.375	.453	.464	.599	.321	.218	1.000	.374	.304
Ď	.312	.267	.452	.321	.320	.492	.376	.374	.439	1.000	.612
ò	.578	.365	.713	.522	.514	.625	.570	.601	.304	.612	1.000

Table 10. Predicting ASVAB Subtest Scores from GATB Subtest Scores

	G	ATB s	ubtes	ts (p	redic	tors)			
ASVAB subtest (criterion)	NCM	СМР	3DS	VOC	TLM	ARS	FRM	<b>r</b> ʻ	Mult R
GS	<del></del>	4	2	1		3	5	72	75
AR	4		3	2	5	1	. 6	68	79
WK	3	5		1		2	4	82	84
PC	2			1			3	73	76
NO	1	2		3		4		72	77
cs	1	3			2			74	76
AS		4	1	2		3		44	57
MK	3	6	4	1		2	5	68	79
MC		4	2	1		3		54	66
EI		4	2	1		3		59	64

Note The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 11. Predicting GATB Subtest Scores from ASVAB Subtest Scores

		AS	VAB	subt	ests	(pr	edic	tors	)			
GATB subtest (criterion)	GS	AR	WK	PC	NO	cs	AS	MK	MC	EI	r	Mult R
VCM				4	3	1		2			74	83
CMP	6	4			1	5		2	3		62	71
BDS								2	1		53	55
70C			1	3		4		2			82	84
rlm					2	1			3		57	60
ARS		1			2			3			68	71
FRM			4		3	1			2		48	54

Notes The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 12. Predicting ASVAB Composite Scores from GATB Subtest Scores

		GATB	subte	st (p	redic	tors)	1		
ASVAB composite (criterion)	NCM	СМР	3DS	VOC	TLM	ARS	FRM	r	Mult R
VE	2	5		1		4	3	83	85
VERB	2	4	6	1		3	5	82	85
MATH	3	6	4	1		2	5	70	82
ACAD	3		4	1	6	2	5	80	86
MECH		4	2	1		3		64	74
BUSN	1			2		3		81	89
ELEC	4		3	1		2	5	75	82
HEAL	4		3	1		2	5	76	83

Note The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 13. Predicting GATB Composite Scores from ASVAB Subtest Scores

		ASVAB subtests (predictors)											
GATB composite (criterion)	GS	AR	WK	PC	МО	cs	AS	MK	MC	EI	r	Mult R	
G		1	2		-	3		5	4		77	83	
v			1			3		2			78	79	
N	6	1			2	5		4	3		64	73	
s		2							1		49	50	
P			3		2	1			4		52	57	
Q					3	1	4	2			69	77	

Note The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 14. Predicting ASVAB Composite Scores from GATB Composite Scores

	GATB	сошр	osite	s (pr	edict	ors)			
ASVAB composite (criterion)	G	V	N	s	P	Q	r	Mult R	
 VE	2	1	5	6	3	4	79	83	
VERB	2	1	3		4	5	78	82	
MATH	1				3	2	78	80	
ACAD	1	2			3	4	81	85	
MECH	1		2		3		72	75	
BUSN	1	3				2	79	86	
ELEC	1	2			3		79	81	
HEAL	1	2	4		3	5	81	83	

Note The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 15. Predicting GATB Composite Scores from ASVAB Composite Scores

		ASV	AB Cor	nposi	tes (1	Predi	ctors	)			
GATB Composite (Criterion)	VE	VERB	MATH	ACAD	MECH	BUSN	ELEC	HEAL	r	Mult R	
G				1	3	2		4	81	83	
V	1					2			79	80	
N			1			2	3		66	70	
s					1				49	49	
P	2		3			1		4	45	54	
Q		2			3	1			71	75	

Note The numbers in the table indicate the order in which the predictor variables entered the stepwise regression equations. The column headed by r indicates the bivariate correlation (multiplied by 100) between the predicted variable and the variable which entered first, while the column labeled Mult R indicates the multiple correlation when all of the indicated variables have entered.

Table 16. Canonical Correlation of ASVAB and GATB Variables

		Canon	ical Corre	lation		
Number	Eigenvalue	Canonical correlation	Wilk's Lambda	Chi- square	D.F.	Signi- ficance
1 2 3 4 5 6 7	.80864 .42043 .25647 .15798 .03672 .01356 .00346	.89925 .64841 .50643 .39747 .19164 .11647 .05884	.06575 .34359 .59283 .79733 .94692 .98302 .99654	1020.72550 400.61692 196.06566 84.93395 20.45278 6.42181 1.30036	70 54 40 28 18 10 4	.000 .000 .000 .000 .308 .779 .861
	Coeffi Canvar <sup>d</sup> 1	cients for Cano	nical Vari	ables of the Fi Canvar 3	rst Set	Canvar 4
GS AR WK PC NO CS AS MK MC EI	.00442 .09676 .34852 .06707 .16866 .24149 02364 .28419 01161 02118	1 .8 .0 5 6 .1 1	3175 8781 1183 19094 2277 0582 1638 4360 8626 4899	.13872 -1.01069 .47052 .65359 .09047 .01449 51400 .01886 30904 .18028		.35896 -1.0521864313 .1993415460 .752840211318919 .88757 .28360
	Coeffic Canvar <sup>d</sup> 1	ients for Canon	ical Varia	ables of the Sec	cond Set	Canvar 4
NCM	.43634	5	5535	.24576		08273

	Canvar <sup>o</sup> 1	Canvar 2	bles of the Second  Canvar 3	Canvar 4
NCM	.43634	55535	.24576	08273
CMP	.07366	56663	01501	63385
3DS	.06454	.33678	77431	.22255
VOC	.45525	1.04724	.73258	03286
TLM	.01677	28669	.24037	.66302
ARS	.19228	.13266	80156	18769
FRM	07382	28268	09297	.39134

<sup>&</sup>lt;sup>q</sup>Canvar indicates "Canonical Variate."

Table 17. Principal Components Factor Analysis of ASVAB Subtests

Statistics			
Factor	Eigenvalue	Pct of var	Cum pct
1 2	6.39330 1.28971	63.9 12.9	63.9 76.8
	Orthogonal Rota	tion - Factor Loa	dings
	Factor 1		Factor 2
AS EI MC GS	.88890 .85694 .84718 .73655		.07968 .29524 .26766 .50820
NO CS PC MK WK AR	.17631 .06063 .43940 .48874 .57297 .59675		.85710 .85445 .72135 .68751 .67118
	Oblique Rotation -	Factor Pattern I	oadings.
AS EI MC GS	.96581 .86692 .86416 .67037		17426 .07496 .04717 .34746
CS NO PC MK WK AR	18356 05561 .27706 .34190 .44044 .47470		.93251 .90125 .67243 .62020 .57712 .54057

Table 18. Principal Components Factor Analysis of GATB Subtests

	Statistics			
Factor	Eigenvalue	Pct of var	Cum pc1	
1 2	3.89469 1.04742	55.6 15.0	55.6 70.6	
	Orthogonal Ro	otation - Factor Load	ings	
	Factor 1	Fac	tor 2	
CMP	.88926		.11796	
ARS NCM	.85513 .67472		.18812 .53494	
VOC	.67333		.44316	
3DS	.10461		.78387	
FRM TLM	.23719 .30457		3229 7280	
	Oblique Rotation	n - Factor Pattern Lo	adings	
CMP	.94675		11718	
ARS VOC	.89267 .61827		.04251 .30113	
NCM	.59424		.40186	
3DS	10314		.83457	
FRM TLM	.04335 .12021		.79598 .76681	

Table 19. Principal Components Factor Analysis of Combined GATB and ASVAB Subtests

Statistics							
Factor	Eigenvalue	Pct of var	Cum pct				
1 2 2 3	9.33037	54.9	54.9				
3	1.90684 1.24933	11.2 7.3	66.1 73.5				
	Orthogonal r	otation - Factor lo	padings				
	Factor 1	Factor 2		Factor			
MP	.80254	.03951		.14975			
10 10	.77792	.19312 .17429		.28684			
NCM CS	.75278 .70688	.08544		.45438 .43492			
ARS	.68453	.32337		.13432			
1K	.67505	.50013		.14869			
PC .	.65878	.49536		.08147			
/OC AR	.65261 .63399	.49519 .60637	•	.22073			
VK	.63301	.62271		.12272 .06852			
AS EI	.05107	.85636		.14740			
UC ST	.25914	.84589		.13116			
S	.20171 .45788	.83059 .76402		.23909 .10667			
RM	.25559	.12605		.80161			
TLM 3DS	.38344 .02741	.10071 .50950		.75865 .65141			
	Oblique Rotatio	on - Factor Pattern	Loadings				
	Factor 1	Factor	2	Factor			
CMP	.88037	.21478		.00439			
NO NCM	.80737	.05137		.14186			
ARS	.74776 .71602	.07086 12175		.32649 01386			
CS	.70960	.14934		.32201			
NK	.68187	31033		01181			
PC .	.67719	31337		.07985			
NOC	.64262	30890		.06951			
VK AR	.63562 .62791	45616 43622		09959 04072			
AS	07026	87995		.07443			
EI	.17128	80488		.01873			
MC GS	.08626 .41211	80182 65786		.14572 03792			
FRM	.11805 .27519	01753		.79401			
"LM		.04705		.72629			